Assessor: Christopher Lloyd **Date: 10/12/2025** **Activity: Laser Tag** **Location: Blackwell Court**	**Persons at risk**			**Risk before control measure**	**Severity before control measure**	**Control Measure**	**Risk After Control Measure**
	Employee	Participant	Public				
Hazards Identified							
Slips, trips and falls	✓	✓	✓	Medium	Low	Participants warned of the dangers of running around the Laser Tag area. Advised to watch where they are going.	Low
Unqualified staff	✓	✓	✓	Low	High	Only trained staff to run the laser tag who have been assessed in accordance with the operating procedures.	Low
Running into obstacles/participants	✓	✓		Medium	Medium	Participants warned of the dangers of running around the Laser Tag area. Advised to watch where they are going.	Low
Being hit with a gun	✓	✓		Medium	Medium	Participants taught how to hold gun correctly before start of session.	Low
Unauthorised access		✓	✓	Medium	Medium	Guns to be locked away when not in use on session.	Low
Faulty apparatus	✓	✓	✓	Low	High	Regular inspection by trained staff.	Low
Hair, clothing or jewellery trapped in equipment	✓	✓		Low	Low	Participants briefed to tie hair back and remove any objects / jewellery that could become trapped.	Low
Unsupervised use of equipment		✓	✓	Medium	Low	Guns to be locked away when not in use on session.	Low
Public passers by			✓	Medium	Medium	Instructor's always aware and appropriate signage in place.	Low
Manual Handling	✓			Low	Low	Instructors trained in proper manual handling techniques.	Low
Safeguarding	✓	✓		Low	Low	Instructors aware of safeguarding issues.	Low
Lightening and or strong wind	✓	✓	✓	Low	High	Activity to be stopped in the event of lightening and in heavy wind, Beaufort scale 6.	Low
Trees/falling branches	✓	✓	✓	Low	Medium	Area regularly checked for dead trees/branches	Low
Holding gun to face whilst running		✓		Low	Medium	Instructor to include in briefing to be aware of running with gun to face.	Low
Locked inside train carriage	✓	✓		Low	Low	Instructor to check the train carriage before locking the door, door can be opened from the inside	Low

Signed Assessor C Lloyd Print Name Christopher Lloyd Date 10/12/2025

Reviewed by and Date: